

age No. _____

purpose. To minimize the overnight cultures to which
whether all exhibit are full lengths.
all solutions from above

1.5 ml H_2O

pellet resuspended in 0.1 ml of Resuspension buffer

25 mM Tris, 8.0

50 " EDTA

1% glucose

autoclaved + stored at 4°

added 0.2 ml of 1.0 M NaOH / 325 = 0.2 M NaOH

on in 15

1% SDS

prepared fresh

added 0.15 ml of 7.5 M Ammonium acetate Mix + incubate 15 min

15' RT

filtered + not dried

supernatant + 0.9 ml of 95% ethanol Mixed well 15'

pellet washed with 70% ethanol 12 ml w/o mixing 5'

resuspension vac dried 5'

resuspended in 25 μl (100 ng/1 μl) of TEused 8 μl from each prep for digestion

Reaction buffer 10x NEB 4, Afl III, Aat II & EcoRI

90 μl

5

3

3 μl rest H_2O , volume to 192 μl added 12 μl / RX digested at 37° , 3 hrs, stored at 4°

To Page No. _____

Used & Understood by me,

Date

12/16/94

Invented by


Recorded by

K. Schramm

Date

12/16/94

From Pag N. _____



B W. from Tag W from T+Dv

Even Blnes did not get restricted why?

Witnessed & Understood by me,

Date

Invent d by

Dat

Recorded by

12/22/94